



April 6, 2015

Mr. Phil Cole, Case Manager
Bureau of Case Management
New Jersey Department of Environmental Protection
Mail Code 401-05F
401 East State Street
PO Box 420
Trenton, NJ 08625-0420

**Re: Remedial Investigation Workplan
AOC-11a: Administration Building
Hess Corporation Former Port Reading Complex (HC-PR)
750 Cliff Road
Port Reading, Middlesex County, New Jersey
Program Interest No. 006148
NJDEP ISRA Case No. E20130449
EPA ID No. NJD045445483**

Dear Mr. Cole:

Attached please find three (3) copies of the Remedial Investigation Workplan for AOC-11a: Administration Building for the above-referenced site.

Please feel free to contact me at (732) 739-6444 if you have any questions or require additional information.

Sincerely,

EARTH SYSTEMS

A handwritten signature in black ink, appearing to read 'John Virgie', is written over the company name. The signature is fluid and stylized, with a long horizontal stroke at the end.

John Virgie, PG, LSRP
Senior Client Manager

cc: Mr. Andrew Park, Project Manager - USEPA Region II
Mr. John Schenkewitz, Manager, Remediation - Hess Corporation
Ms. Krista Snyder, Manager, Remediation - Buckeye Partners, L.P.